
Graham\_3 Texas, AC +/-





Boundary



## | Boundary 777.04 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
30	Elbon soils, frequently flooded	226.6	29.16	0	62	5w
78	Whitewright-Gullied land complex	126.2 8	16.25	0	1	6e
33	Fairlie and Houston Black clays, 1 to 3 percent slopes	102.6 9	13.22	0	44	2e
77	Whitewright-Eddy-Howe complex, 5 to 12 percent slopes	81.1	10.44	0	20	6e
68	Tinn clay, 0 to 1 percent slopes, occasionally flooded	78.97	10.16	0	47	3s
72	Vertel clay, 5 to 12 percent slopes	57.98	7.46	0	29	6e
40	Heiden clay, 3 to 5 percent slopes	44.84	5.77	0	42	3e
46	Lewisville silty clay, 1 to 3 percent slopes	33.49	4.31	0	46	2e
39	Heiden clay, 1 to 3 percent slopes	5.47	0.7	0	42	3e
47	Lewisville silty clay, 3 to 5 percent slopes, eroded	5.36	0.69	0	43	3e
76	Whitewright-Eddy-Howe complex, 1 to 5 percent slopes	5.15	0.66	0	21	4e
9	Austin silty clay, 2 to 5 percent slopes, moderately eroded	4.89	0.63	0	26	4e
W	Water	4.22	0.54	0	-	8
TOTALS		777.0 4(*)	100%	-	38.39	4.47

(\*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

## **Capability Legend**

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability								
	1	2	3	4	5	6	7	8
'Wild Life'	٠	٠	٠	٠	٠	٠	٠	٠
Forestry	٠	٠	٠	٠	٠	٠	٠	
Limited	٠	•	٠	•	٠	٠	٠	
Moderate	٠	٠	٠	•	٠	٠		
Intense	٠	•	•	•	٠			
Limited	٠	٠	٠	٠				
Moderate	٠	•	•					
Intense	٠	٠						
Very Intense	٠							

## Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water